

201 Sample B sp26

No calculators, cell phones, or other electronic devices allowed.

YOU MUST SHOW WORK, OR GIVE EXPLANATIONS, JUSTIFYING ALL ANSWERS.

1. (12 pts) Find the derivative $\frac{dy}{dx}$ and **simplify your answer**.

(a) $y = \sqrt{7 + \sqrt{7x}}$

(b) $y = (\ln(2x) + \tan x)(\pi - \frac{1}{x^2})$

(c) $y = x^{\sin x}$

(d) $xy^3 - x^2 = e^y - 2$ (assume you may use implicit differentiation)

2. (12 pts) Evaluate each integral and **simplify your answer**.

(a) $\int \frac{2x^4 + x + x^6}{x^4} dx$

(b) $\int \frac{\sqrt{\arcsin x}}{\sqrt{1-x^2}} dx$

(c) $\int x3^{x^2} dx$

(d) $\int_0^{\pi/2} (\cos^3(3x) - \cos(3x)) dx$

3. (9 pts) Find each limit (as a real number or $\pm\infty$), or state DNE for does not exist.

(a) $\lim_{x \rightarrow \infty} \frac{e^x + 2x}{\ln x}$

(b) $\lim_{x \rightarrow 0^+} x^{2x}$

(c) $\lim_{x \rightarrow 1^+} \left(\frac{1}{x-1} - \frac{1}{\ln x} \right)$

4. (9 pts) **No credit in either part unless you use the requested methods.**

- (a) (4 pts) Use differentials to estimate the error in computing the volume of a ball if the radius r is measured to be 2 ± 0.1 cm.

Volume $V = \frac{4}{3}\pi r^3$.

- (b) (5 pts) Use the limit definition of derivative to find $f'(x)$ for $f(x) = \frac{1}{x+1}$, and find the tangent line to $y = f(x)$ at $x = 2$.

5. (9 pts) A particle moves in a straight line with velocity $v(t) = t^2 - 5t + 4$, with time $t \geq 0$ measured in seconds and distance in meters.

- (a) For which t is the particle moving left, for which is it moving right?

- (b) Find the acceleration $a(t)$ (include units), and determine when the particle is speeding up and when it is slowing down.

- (c) Find the position $s(t)$ if $s(0) = 3$ meters.

6. (7 pts) A kite is being flown at a constant height of 300 ft; wind blows and carries it horizontally at 25 ft/s. How fast must the string be let out to maintain the height when the kite is 500 ft from the person holding it?

7. (a) (4 pts) Find a and b so that $f(x)$ is continuous:

$$f(x) = \begin{cases} (x-1)^2, & x < 1 \\ ax+b, & 1 \leq x \leq 4 \\ \sqrt{2x+1}, & x > 4 \end{cases}$$

- (b) (3 pts) State the Mean Value Theorem (MVT).

- (c) (4 pts) Explain why MVT applies to $f(x) = 1/x^2$ on $[2, 4]$, and find all c satisfying the conclusion.

8. (6 pts) Find the absolute maximum and minimum of

$$f(x) = (x^2 + x)^{2/3}$$

on $[-3, 4]$, and the x -values where they occur.

9. (a) (3 pts) State the Intermediate Value Theorem.

- (b) (3 pts) Show that $xe^x = 2$ for some $x \in (0, 1)$.

10. (a) (4 pts) Approximate

$$\int_2^4 x^2 dx$$

using a Riemann sum with $n = 4$ equal length subintervals and right endpoints as the sample points.

(You may leave the answer as an unsimplified sum.)

- (b) (5 pts) Using the Fundamental Theorem of Calculus, Part I, determine the concavity of

$$F(x) = \int_1^x (\ln t)^2 dt, \quad x > 1.$$

11. (10 pts) Given

$$f(x) = \frac{x^2}{x^2 - 1}, \quad f'(x) = \frac{-2x}{(x^2 - 1)^2}, \quad f''(x) = \frac{6x^2 + 1}{(x^2 - 1)^3},$$

- (a) Find the domain of $f(x)$, the coordinates of all intercepts, and the equations of all horizontal and vertical asymptotes of the graph of $f(x)$.

- (b) Find the intervals of increase and the intervals of decrease for $f(x)$ and the coordinates of any local maxima and local minima.

- (c) Find the intervals of concavity and the coordinates of any inflection points.

- (d) Sketch the graph of $f(x)$ including all features from (a)–(c).